

1. Deyo RA, Diehl AK, Rosenthal M. How many days of bed rest for acute low back pain? A randomized clinical trial. *N Engl J Med.* 1986;315(17):1064-1070. doi:10.1056/NEJM198610233151705.
2. Waddell G, Feder G, Lewis M. Systematic reviews of bed rest and advice to stay active for acute low back pain. *Br J Gen Pract.* 1997;47(423):647-652.
3. Childs JD, Cleland JA, Elliot J. Neck pain: clinical practice guidelines linked to the International Classification of Functioning, Disability, and Health from the Orthopedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther.* 2008(38):a1-a34.
4. Teasell RW, McClure JA, Walton D, et al. A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): Part 4 – noninvasive interventions for chronic WAD. *Pain Res Manag J Can Pain Soc.* 2010;15(5):313-322.
5. Cuesta-Vargas AI, González-Sánchez M, Casuso-Holgado MJ. Effect on health-related quality of life of a multimodal physiotherapy program in patients with chronic musculoskeletal disorders. *Health Qual Life Outcomes.* 2013;11:19. doi: 10.1186/1477-7525-11-19.
6. Stewart MJ, Maher CG, Refshauge KM, Herbert RD, Bogduk N, Nicholas M. Randomized controlled trial of exercise for chronic whiplash-associated disorders. *Pain.* 2007;128(1–2): 59-68. doi:10.1016/j.pain.2006.08.030.
7. Jansen MJ, Viechtbauer W, Lenssen AF, Hendriks EJM, de Bie RA. Strength training alone, exercise therapy alone, and exercise therapy with passive manual mobilisation each reduce pain and disability in people with knee osteoarthritis: a systematic review. *J Physiother.* 2011;57(1):11-20. doi:10.1016/S1836-9553(11)70002-9.
8. M D. Exercise and migraine. A critical review. *J Sports Med Phys Fitness.* 1991;31(2): 294-302.
9. Brosseau L, Wells GA, Tugwell P, et al. Ottawa Panel Evidence-Based Clinical Practice Guidelines for Aerobic Fitness Exercises in the Management of Fibromyalgia: Part 1. *Phys Ther.* 2008;88(7):857-871. doi:10.2522/ptj.20070200.
10. Van Middelkoop M, Rubinstein SM, Verhagen AP, Ostelo RW, Koes BW, van Tulder MW. Exercise therapy for chronic nonspecific low-back pain. *Best Pract Res Clin Rheumatol.* 2010;24(2):193-204. doi:10.1016/j.bepr.2010.01.002.
11. Daenen L, Varkey E, Kellmann M, Nijs J. Exercise, Not to Exercise, or How to Exercise in Patients With Chronic Pain? Applying Science to Practice: *Clin J Pain.* 2015;31(2):108-114. doi:10.1097/AJP.0000000000000099.
12. Vlaeyen JWS, de Jong J, Geilen M, Heuts PHTG, van Breukelen G. Graded exposure in vivo in the treatment of pain-related fear: a replicated single-case experimental design in four patients with chronic low back pain. *Behav Res Ther.* 2001;39(2):151-166. doi: 10.1016/S0005-7967(99)00174-6.

13. Boersma K, Linton S, Overmeer T, Jansson M, Vlaeyen J, de Jong J. Lowering fear-avoidance and enhancing function through exposure in vivo: A multiple baseline study across six patients with back pain. *Pain*. 2004;108(1–2):8-16. doi:10.1016/j.pain.2003.03.001.
14. De Jong JR, Vlaeyen JWS, Ongena P, Cuypers C, Hollander M den, Ruijgrok J. Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo. *Pain*. 2005;116(3):264-275. doi:10.1016/j.pain.2005.04.019.
15. Leeuw M, Goossens MEJB, van Breukelen GJP, et al. Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial. *PAIN*. 2008;138(1):192-207. doi:10.1016/j.pain.2007.12.009.
16. Linton SJ, Boersma K, Jansson M, Overmeer T, Lindblom K, Vlaeyen JWS. A randomized controlled trial of exposure in vivo for patients with spinal pain reporting fear of work-related activities. *Eur J Pain*. 2008;12(6):722-730. doi:10.1016/j.ejpain.2007.11.001.
17. Woods MP, Asmundson GJG. Evaluating the efficacy of graded in vivo exposure for the treatment of fear in patients with chronic back pain: A randomized controlled clinical trial. *PAIN*. 2008;136(3):271-280. doi:10.1016/j.pain.2007.06.037.
18. Comparison of Graded Exercise and Graded Exposure Clinical Outcomes for Patients With Chronic Low Back Pain. *J Orthop Sports Phys Ther*. 2010;40(11):694-704. doi:10.2519/jospt.2010.3396.
19. Macedo LG, Smeets RJEM, Maher CG, Latimer J, McAuley JH. Graded Activity and Graded Exposure for Persistent Nonspecific Low Back Pain: A Systematic Review. *Phys Ther*. April 2010. doi:10.2522/ptj.20090303.
20. Rasmussen-Barr E, Äng B, Arvidsson I, Nilsson-Wikmar L. Graded Exercise for Recurrent Low-Back Pain: A Randomized, Controlled Trial With 6-, 12-, and 36-Month Follow-ups. *Spine*. 2009;34(3):221-228. doi:10.1097/BRS.0b013e318191e7cb.
21. López-de-Uralde-Villanueva I, Muñoz-García D, Gil-Martínez A, et al. A Systematic Review and Meta-Analysis on the Effectiveness of Graded Activity and Graded Exposure for Chronic Nonspecific Low Back Pain. *Pain Med Malden Mass*. August 2015. doi:10.1111/pme.12882.
22. Riecke J, Holzapfel S, Rief W, Glombiewski JA. Evaluation and implementation of graded in vivo exposure for chronic low back pain in a German outpatient setting: a study protocol of a randomized controlled trial. *Trials*. 2013;14:203. doi:10.1186/1745-6215-14-203.
23. Lindström I, Öhlund C, Eek C, et al. The Effect of Graded Activity on Patients with Subacute Low Back Pain: A Randomized Prospective Clinical Study with an Operant-Conditioning Behavioral Approach. *Phys Ther*. 1992;72(4):279-290.
24. PhD JWSV, PhD SJMMp, PhD SJL, PhD KB, PhD J de J. *Pain-Related Fear: Exposure-Based Treatment of Chronic Pain*. Vol First edition. Seattle: IASP; 2012.
25. *Fordyce's Behavioral Methods for Chronic Pain and Illness: Republished with Invited Commentaries*. Vol 1 edition. Philadelphia: IASP; 2014.

26. Flink IK, Boersma K, Linton SJ. Catastrophizing moderates the effect of exposure in vivo for back pain patients with pain-related fear. *Eur J Pain*. 2010;14(8):887-892. doi:10.1016/j.ejpain.2010.02.003.
27. Zale EL, Lange KL, Fields SA, Ditre JW. The relation between pain-related fear and disability: A meta-analysis. *J Pain Off J Am Pain Soc*. 2013;14(10):1019-1030. doi:10.1016/j.jpain.2013.05.005.
28. Leeuw M, Goossens MEJB, Linton SJ, Crombez G, Boersma K, Vlaeyen JWS. The Fear-Avoidance Model of Musculoskeletal Pain: Current State of Scientific Evidence. *J Behav Med*. 2006;30(1):77-94. doi:10.1007/s10865-006-9085-0.
29. Smith BE, Littlewood C, May S. An update of stabilisation exercises for low back pain: a systematic review with meta-analysis. *Bmc Musculoskelet Disord*. 2014;15:416. doi:10.1186/1471-2474-15-416.
30. Bousema EJ, Verbunt JA, Seelen HAM, Vlaeyen JWS, André Knottnerus J. Disuse and physical deconditioning in the first year after the onset of back pain. *PAIN*. 2007;130(3):279-286. doi:10.1016/j.pain.2007.03.024.
31. Loggia ML, Juneau M, Bushnell MC. Autonomic responses to heat pain: Heart rate, skin conductance, and their relation to verbal ratings and stimulus intensity. *PAIN®*. 2011;152(3):592-598. doi:10.1016/j.pain.2010.11.032.
32. McBeth J, Chiu YH, Silman AJ, et al. Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. *Arthritis Res Ther*. 2005;7(5):R992. doi:10.1186/ar1772.
33. Yarnitsky D, Bouhassira D, Drewes A m., et al. Recommendations on practice of conditioned pain modulation (CPM) testing. *Eur J Pain*. 2015;19(6):805-806. doi:10.1002/ejp.605.
34. Lannersten L, Kosek E. Dysfunction of endogenous pain inhibition during exercise with painful muscles in patients with shoulder myalgia and fibromyalgia. *PAIN*. 2010;151(1):77-86. doi:10.1016/j.pain.2010.06.021.
35. Lewis GN, Rice DA, McNair PJ. Conditioned Pain Modulation in Populations With Chronic Pain: A Systematic Review and Meta-Analysis. *J Pain*. 2012;13(10):936-944. doi:10.1016/j.jpain.2012.07.005.
36. Yarnitsky D, Crispel Y, Eisenberg E, et al. Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk. *PAIN*. 2008;138(1):22-28. doi:10.1016/j.pain.2007.10.033.
37. Wilder-Smith OH, Schreyer T, Scheffer GJ, Arendt-Nielsen L. Patients with Chronic Pain After Abdominal Surgery Show Less Preoperative Endogenous Pain Inhibition and More Postoperative Hyperalgesia: A Pilot Study. *J Pain Palliat Care Pharmacother*. 2010;24(2):119-128. doi:10.3109/15360281003706069.
38. Vaegter HB, Handberg G, Graven-Nielsen T, Edwards R. Hypoalgesia After Exercise and Cold Pressor Test are Reduced in Chronic Musculoskeletal Pain Patients with High Pain Sensitivity. *Clin J Pain*. March 2015. doi:10.1097/AJP.0000000000000223.

39. Coombes BK, Bisset L, Vicenzino B. Thermal Hyperalgesia Distinguishes Those With Severe Pain and Disability in Unilateral Lateral Epicondylalgia: *Clin J Pain*. 2012;28(7):595-601. doi:10.1097/AJP.0b013e31823dd333.
40. Jull G, Sterling M, Kenardy J, Beller E. Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT. *Pain*. 2007;129(1–2):28-34. doi:10.1016/j.pain.2006.09.030.
41. Roussel NA, Nijs J, Meeus M, Mylius V, Fayt C, Oostendorp R. Central Sensitization and Altered Central Pain Processing in Chronic Low Back Pain: Fact or Myth? *Clin J Pain*. 2013;29(7):625-638. doi:10.1097/AJP.0b013e31826f9a71.
42. Paul TM, Soo Hoo J, Chae J, Wilson RD. Central Hypersensitivity in Patients With Subacromial Impingement Syndrome. *Arch Phys Med Rehabil*. 2012;93(12):2206-2209. doi:10.1016/j.apmr.2012.06.026.
43. Suokas AK, Walsh DA, McWilliams DF, et al. Quantitative sensory testing in painful osteoarthritis: a systematic review and meta-analysis. *Osteoarthritis Cartilage*. 2012;20(10):1075-1085. doi:10.1016/j.joca.2012.06.009.
44. Van Wilgen CP, Konopka KH, Keizer D, Zwerver J, Dekker R. Do patients with chronic patellar tendinopathy have an altered somatosensory profile? – A Quantitative Sensory Testing (QST) study. *Scand J Med Sci Sports*. 2013;23(2):149-155. doi:10.1111/j.1600-0838.2011.01375.x.
45. Mutlu EK, Ozdincler AR. Reliability and responsiveness of algometry for measuring pressure pain threshold in patients with knee osteoarthritis. *J Phys Ther Sci*. 2015;27(6):1961-1965. doi:10.1589/jpts.27.1961.
46. Chien A, Sterling M. Sensory hypoesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain. *Man Ther*. 2010;15(1):48-53. doi:10.1016/j.math.2009.05.012.
47. Staud R, Craggs JG, Robinson ME, Perlstein WM, Price DD. Brain activity related to temporal summation of C-fiber evoked pain. *Pain*. 2007;129(1–2):130-142. doi:10.1016/j.pain.2006.10.010.
48. Liljencrantz J, Olausson H. Tactile C fibers and their contributions to pleasant sensations and to tactile allodynia. *Front Behav Neurosci*. 2014;8. doi:10.3389/fnbeh.2014.00037.
49. Todd AJ. Neuronal circuitry for pain processing in the dorsal horn. *Nat Rev Neurosci*. 2010;11(12):823-836. doi:10.1038/nrn2947.
50. Simons LE, Moulton EA, Linnman C, Carpino E, Becerra L, Borsook D. The human amygdala and pain: Evidence from neuroimaging. *Hum Brain Mapp*. 2014;35(2):527-538. doi:10.1002/hbm.22199.
51. Hadjikhani N, Ward N, Boshyan J, et al. The missing link: Enhanced functional connectivity between amygdala and visceroreceptive cortex in migraine. *Cephalgia*. 2013;33(15):1264-1268. doi:10.1177/0333102413490344.
52. Longo G, Osikowicz M, Ribeiro-da-Silva A. Sympathetic Fiber Sprouting in Inflamed Joints and Adjacent Skin Contributes to Pain-Related Behavior in Arthritis. *J Neurosci*. 2013;33(24):10066-10074. doi:10.1523/JNEUROSCI.5784-12.2013.

53. Martínez-Lavín M, Hermosillo AG. Autonomic nervous system dysfunction may explain the multisystem features of fibromyalgia. *Semin Arthritis Rheum*. 2000;29(4):197-199.
54. Meeus M, Nijs J, Vanderheiden T, Baert I, Descheemaeker F, Struyf F. The effect of relaxation therapy on autonomic functioning, symptoms and daily functioning, in patients with chronic fatigue syndrome or fibromyalgia: a systematic review. *Clin Rehabil*. September 2014;0269215514542635. doi:10.1177/0269215514542635.
55. Naugle KM, Fillingim RB, Riley III JL. A Meta-Analytic Review of the Hypoalgesic Effects of Exercise. *J Pain*. 2012;13(12):1139-1150. doi:10.1016/j.jpain.2012.09.006.
56. Peters ML, Vlaeyen JWS, Weber WEJ. The joint contribution of physical pathology, pain-related fear and catastrophizing to chronic back pain disability. *Pain*. 2005;113(1-2):45-50. doi:10.1016/j.pain.2004.09.033.
57. Sullivan MJL, Lynch ME, Clark AJ. Dimensions of catastrophic thinking associated with pain experience and disability in patients with neuropathic pain conditions. *Pain*. 2005;113(3):310-315. doi:10.1016/j.pain.2004.11.003.
58. Turner JA, Mancl L, Aaron LA. Pain-related catastrophizing: a daily process study. *Pain*. 2004;110(1-2):103-111. doi:10.1016/j.jpain.2004.03.014.
59. Smeets RJEM, Vlaeyen JWS, Kester ADM, Knottnerus JA. Reduction of pain catastrophizing mediates the outcome of both physical and cognitive-behavioral treatment in chronic low back pain. *J Pain Off J Am Pain Soc*. 2006;7(4):261-271. doi:10.1016/j.jpain.2005.10.011.
60. Goodin BR, McGuire LM, Stapleton LM, et al. Pain Catastrophizing Mediates the Relation Between Self-Reported Strenuous Exercise Involvement and Pain Ratings: The Moderating Role of Anxiety Sensitivity. *Psychosom Med*. 2009;71(9):1018-1025. doi:10.1097/PSY.0b013e3181bc62.
61. Wand BM, Parkitny L, O'Connell NE, et al. Cortical changes in chronic low back pain: Current state of the art and implications for clinical practice. *Man Ther*. 2011;16(1):15-20. doi:10.1016/j.math.2010.06.008.
62. Catley MJ, O'Connell NE, Berryman C, Ayhan FF, Moseley GL. Is Tactile Acuity Altered in People With Chronic Pain? A Systematic Review and Meta-analysis. *J Pain*. 2014;15(10):985-1000. doi:10.1016/j.jpain.2014.06.009.
63. Moseley GL, Vlaeyen JWS. Beyond nociception: the imprecision hypothesis of chronic pain. *PAIN*. 2015;156(1):35-38. doi:10.1016/j.jpain.0000000000000014.
64. Flor H, Denke C, Schaefer M, Grüsser S. Effect of sensory discrimination training on cortical reorganisation and phantom limb pain. *The Lancet*. 2001;357(9270):1763-1764. doi:10.1016/S0140-6736(00)04890-X.
65. Tsay A, Allen TJ, Proske U, Giumannera MJ. Sensing the body in chronic pain: A review of psychophysical studies implicating altered body representation. *Neurosci Biobehav Rev*. 2015;52:221-232. doi:10.1016/j.neubiorev.2015.03.004.
66. Lyon P, Cohen M, Quintner J. An Evolutionary Stress-Response Hypothesis for Chronic Widespread Pain (Fibromyalgia Syndrome). *Pain Med*. 2011;12(8):1167-1178. doi:10.1111/j.1526-4637.2011.01168.x.

67. Weiss S, Sack M, Henningsen P, Pollatos O. On the Interaction of Self-Regulation, Interoception and Pain Perception. *Psychopathology*. 2014;47(6):377-382. doi: 10.1159/000365107.
68. Vohs KD, Baumeister RF, Schmeichel BJ, Twenge JM, Nelson NM, Tice DM. Making choices impairs subsequent self-control: A limited-resource account of decision making, self-regulation, and active initiative. *Motiv Sci*. 2014;1(S):19-42. doi: 10.1037/2333-8113.1.S.19.
69. Maes S, Karoly P. Self-Regulation Assessment and Intervention in Physical Health and Illness: A Review. *Appl Psychol*. 2005;54(2):267-299. doi:10.1111/j.1464-0597.2005.00210.x.
70. Yoris A, Esteves S, Couto B, et al. The roles of interoceptive sensitivity and metacognitive interoception in panic. *Behav Brain Funct Bbf*. 2015;11. doi:10.1186/s12993-015-0058-8.
71. Meredith PJ, Rappel G, Strong J, Bailey KJ. Sensory Sensitivity and Strategies for Coping With Pain. *Am J Occup Ther Off Publ Am Occup Ther Assoc*. 2015;69(4): 6904240010p1-6904240010p10. doi:10.5014/ajot.2015.014621.
72. Illes RA, Davidson M, Taylor NF, O'Halloran P. Systematic Review of the Ability of Recovery Expectations to Predict Outcomes in Non-Chronic Non-Specific Low Back Pain. *J Occup Rehabil*. 2009;19(1):25-40. doi:10.1007/s10926-008-9161-0.
73. Vase L, Petersen GL, Riley III JL, Price DD. Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007. *PAIN®*. 2009;145(1–2): 36-44. doi:10.1016/j.pain.2009.04.008.
74. Linton SJ, Buer N, Vlaeyen J, Hellsing A-L. Are fear-avoidance beliefs related to the inception of an episode of back pain? A prospective study. *Psychol Heal*. 2000;14(6): 1051-1059. doi:10.1080/08870440008407366.
75. Hasenbring MI, Verbunt JA. Fear-avoidance and Endurance-related Responses to Pain: New Models of Behavior and Their Consequences for Clinical Practice: *Clin J Pain*. 2010;26(9):747-753. doi:10.1097/AJP.0b013e3181e104f2.
76. Luciola da C Menezes Costa CGM. Self-efficacy is more important than fear of movement in mediating the relationship between pain and disability in chronic low back pain. *Eur J Pain Lond Engl*. 2011;15(2):213-219. doi:10.1016/j.ejpain.2010.06.014.
77. McKnight PE, Afram A, Kashdan TB, Kasle S, Zautra A. Coping self-efficacy as a mediator between catastrophizing and physical functioning: treatment target selection in an osteoarthritis sample. *J Behav Med*. 2010;33(3):239-249. doi:10.1007/s10865-010-9252-1.
78. Moseley GL. Evidence for a direct relationship between cognitive and physical change during an education intervention in people with chronic low back pain. *Eur J Pain*. 2004;8(1):39-45. doi:10.1016/S1090-3801(03)00063-6.
79. Meeus M, Nijs J, Van Oosterwijck J, Van Alsenoy V, Truijen S. Pain Physiology Education Improves Pain Beliefs in Patients With Chronic Fatigue Syndrome Compared With Pacing and Self-Management Education: A Double-Blind Randomized Controlled Trial. *Arch Phys Med Rehabil*. 2010;91(8):1153-1159. doi:10.1016/j.apmr.2010.04.020.

80. Van Oosterwijk J, Nijs J, Meeus M, et al. Pain neurophysiology education improves cognitions, pain thresholds, and movement performance in people with chronic whiplash: A pilot study. *J Rehabil Res Dev.* 2011;48(1):43. doi:10.1682/JRRD.2009.12.0206.
81. Louw A, Diener I, Butler DS, Puentedura EJ. The Effect of Neuroscience Education on Pain, Disability, Anxiety, and Stress in Chronic Musculoskeletal Pain. *Arch Phys Med Rehabil.* 2011;92(12):2041-2056. doi:10.1016/j.apmr.2011.07.198.
82. Van Oosterwijk J, Meeus M, Paul L, et al. Pain Physiology Education Improves Health Status and Endogenous Pain Inhibition in Fibromyalgia: A Double-Blind Randomized Controlled Trial. *Clin J Pain.* 2013;29(10):873-882. doi:10.1097/AJP.0b013e31827c7a7d.
83. Lorimer Moseley G. Widespread brain activity during an abdominal task markedly reduced after pain physiology education: fMRI evaluation of a single patient with chronic low back pain. *Aust J Physiother.* 2005;51(1):49-52. doi:10.1016/S0004-9514(05)70053-2.
84. Moseley GL. Joining Forces – Combining Cognition-Targeted Motor Control Training with Group or Individual Pain Physiology Education: A Successful Treatment For Chronic Low Back Pain. *J Man Manip Ther.* 2003;11(2):88-94. doi:10.1179/106698103790826383.
85. A Randomized Controlled Trial of Intensive Neurophysiology E... : The Clinical Journal of Pain. *LWW.* http://journals.lww.com/clinicalpain/Fulltext/2004/09000/A_Randomized_Controlled_Trial_of_Intensive.7.aspx. Accessed August 6, 2015.
86. Moseley L. Combined physiotherapy and education is efficacious for chronic low back pain. *Aust J Physiother.* 2002;48(4):297-302. doi:10.1016/S0004-9514(14)60169-0.
87. Louw A, Diener I, Landers MR, Puentedura EJ. Preoperative Pain Neuroscience Education for Lumbar Radiculopathy: A Multicenter Randomized Controlled Trial With 1-Year Follow-up. *Spine.* 2014;39(18):1449-1457. doi:10.1097/BRS.0000000000000444.
88. Nijs J, Meeus M. *Five Requirements for Effective Pain Neuroscience Education in Physiotherapy Practice.* Canadian Physiotherapy Association; 2015. <http://www.physiotherapy.ca/Pain-Science-Division/Featured-Articles/Latest-articles/Neuroimmune-interactions-in-CRPS-Luke-Parkitny,-PT?lang=en-ca>.
89. Siemonsma PC, Schröder CD, Dekker JHM, Lettinga AT. The benefits of theory for clinical practice: Cognitive treatment for chronic low back pain patients as an illustrative example. *Disabil Rehabil.* 2008;30(17):1309-1317. doi:10.1080/09638280701610254.
90. Siemonsma PC, Schröder CD, Roorda LD, Lettinga AT. Benefits of Treatment Theory in the Design of Explanatory Trials: Cognitive Treatment of Illness Perceptions in Chronic Low Back Pain Rehabilitation as an Illustrative Example. *J Rehabil Med.* 2010;42(2):111-116. doi:10.2340/16501977-0492.
91. Siemonsma PC, Stuive I, Roorda LD, et al. Cognitive Treatment of Illness Perceptions in Patients With Chronic Low Back Pain: A Randomized Controlled Trial. *Phys Ther.* 2013;93(4):435-448. doi:10.2522/ptj.20110150.
92. Siemonsma PC, Stuive I, Roorda LD, Vollebregt JA, Lankhorst GJ, Lettinga AT. Best Candidates for Cognitive Treatment of Illness Perceptions in Chronic Low Back Pain: Results of a Theory-Driven Predictor Study. *J Rehabil Med.* 2011;43(5):454-460. doi:10.2340/16501977-0803.

93. Ryan CG, Gray HG, Newton M, Granat MH. Pain biology education and exercise classes compared to pain biology education alone for individuals with chronic low back pain: A pilot randomised controlled trial. *Man Ther*. 2010;15(4):382-387. doi:10.1016/j.math.2010.03.003.
94. Alkhasawneh IM, Mrayyan MT, Docherty C, Alashram S, Yousef HY. Problem-based learning (PBL): Assessing students' learning preferences using vark. *Nurse Educ Today*. 2008;28(5):572-579. doi:10.1016/j.nedt.2007.09.012.
95. Murphy RJ, Gray SA, Straja SR, Bogert MC. Student Learning Preferences and Teaching Implications. *J Dent Educ*. 2004;68(8):859-866.
96. Pearson N. Yoga therapy for people in pain. In: *Integrative Pain Medicine*. Vol Thompson & Brooks, Handspring Publishers Limited; 2015.
97. Nijs J, Lluch Girbés E, Lundberg M, Malfliet A, Sterling M. Exercise therapy for chronic musculoskeletal pain: Innovation by altering pain memories. *Man Ther*. 2015;20(1):216-220. doi:10.1016/j.math.2014.07.004.
98. Zusman M. Mechanisms of Musculoskeletal Physiotherapy. *Phys Ther Rev*. 2004;9(1):39-49. doi:10.1179/108331904225003973.
99. Nielson WR, Jensen MP, Karsdorp PA, Vlaeyen JWS. Activity Pacing in Chronic Pain: Concepts, Evidence, and Future Directions. *Clin J Pain*. 2013;29(5):461-468. doi:10.1097/AJP.0b013e3182608561.
100. Blickenstaff C. Novel Movement Opportunities Using the Edgework Approach. February 2015.